

https://cygwin.com/install.html

Eisenbahn eMail Google Zeitschriften

Cygwin

Get that [Linux](#) feeling - on Windows

Installing and Updating Cygwin Packages

Installing and Updating Cygwin for 64-bit versions of Windows



Run [setup-x86_64.exe](#) any time you want to update or install a Cygwin package for 64-bit windows. The [signature](#) for [setup-x86_64.exe](#) can be used to verify the validity of this binary.

Installing and Updating Cygwin for 32-bit versions of Windows

Name	Erw.	Größe	Datum	Att.
[cygwin64]	1.457.191.563	09.08.21 19:09		
[Program Files]	<DIR>	04.08.21 09:57	r—	


Package	Current	New	Src?	Categories	Size	Description
cygwin32-gcc-c++	Default			Devel	10.456k	GCC for Cygwin 32bit toolchain (C++)
cygpp-gcc-g++	Default			Devel	8.279k	GCC for DJGPP toolchain (C++)
gcc-g++	Skip	10.2.0-1		Devel	16.229k	GNU Compiler Collection (C++)
mingw64-i686-gcc-g++	Skip			Devel	16.148k	GCC for Win32 (i686-w64-mingw32) toolchain (C++)
mingw64-x86_64-gcc-c++	Skip			Devel	16.448k	GCC for Win64 toolchain (C++)

Package	Current	New	Src?	Categories	Size	Description
git	Default			Devel	7.034k	Distributed version control system
git	Default			Devel	14k	Git archive with submodules support
git	2.30.2-1			Devel	7k	C/C++ code formatting support for Git
git	Skip			Devel	79k	CVS compatibility support for Git version control system
git	Skip			Devel	39k	Email tools for Git version control system
git	Skip			Devel	217k	Graphical interface for Git version control system
git	Skip			Devel	63k	Perforce compatibility support for Git version control system
git	Skip			Devel	64k	Tool to submit code to Gentoo
git	Skip			Devel	99k	Subversion compatibility support for Git version control system
git	Skip			Devel	610k	GTK+ git repository viewer
git	Skip			Devel	141k	Git repository browser
git	Skip			Devel	133k	Web interface for Git version control system
git	Skip			Devel	594k	libgit2 for Win32 toolchain
git	Skip			Devel	613k	libgit2 for Win64 toolchain
git	Skip			Devel, Python	227k	Quit functionality on top of git




```
Copying skeleton files.  
These files are for the users to personalise their cygwin experience.  
They will never be overwritten nor automatically updated.  
'./.bashrc' -> '/home/Dieter Demessieur//.bashrc'  
'./.bash_profile' -> '/home/Dieter Demessieur//.bash_profile'  
'./.inputrc' -> '/home/Dieter Demessieur//.inputrc'  
'./.profile' -> '/home/Dieter Demessieur//.profile'  
  
Dieter Demessieur@Fruehling ~  
$ git clone https://github.com/teddych/railcontrol.git  
Cloning into 'railcontrol'...  
remote: Enumerating objects: 12880, done.  
remote: Counting objects: 100% (1385/1385), done.  
remote: Compressing objects: 100% (932/932), done.  
remote: Total 12880 (delta 1072), reused 732 (delta 453), pack-reused 11495  
Receiving objects: 100% (12880/12880), 13.85 MiB | 3.14 MiB/s, done.  
Resolving deltas: 100% (10419/10419), done.  
  
Dieter Demessieur@Fruehling ~  
$
```

```
Dieter Demessieur@Fruehling ~  
$ cd railcontrol/
```



A screenshot of a terminal window titled '~/railcontrol'. The window has a dark background and light-colored text. It shows the user's name 'Dieter Demessieux@Fruehling ~' followed by the command '\$ cd railcontrol/'. Below this, there is a single character '\$' on a separate line, which is highlighted with a yellow background.

```
Dieter Demessieux@Fruehling ~
$ cd railcontrol/
$
```





A screenshot of a terminal window titled '~/railcontrol'. The window has a dark background and light-colored text. It shows the user's name 'Dieter Demessieux@Fruehling ~' followed by the command '\$ cd railcontrol/'. Below this, the command '\$ make' is partially typed, with the letter 'm' highlighted with a yellow background.

```
Dieter Demessieux@Fruehling ~
$ cd railcontrol/
$ make
```

```
Cygwin ~ /railcontrol - □ × ↻
Dieter Demessieur@Fruehling ~
$ cd railcontrol/
Dieter Demessieur@Fruehling ~/railcontrol
$ make
cc -g -O2 -DSQLITE_ENABLE_FTS4 -DSQLITE_ENABLE_JSON1 -DSQLITE_ENABLE_RTREE -DHAVE_USLEEP -c -o Storage/sqlite/sqlite3.o Storage/sqlite/sqlite3.c
```

```
Dieter Demessieur@Fruhling ~/railcontrol
```



```
Dieter Demessieur@Fruehling ~/railcontrol
$ ./railcontrol
```

A screenshot of a terminal window titled 'Dieter Demessieur@Fruehling ~/railcontrol'. The window shows a file listing in the background and the command '\$./railcontrol' being typed in the foreground. The file listing includes files like Network, README.md, RailControl.cpp, RailControl.h, RailControl.o, Storage, TODO, Utils, Version.cpp, Version.cpp.in, Version.h, Version.o, WebServer, amalgamation.bash, html, railcontrol.conf.dist, railcontrol.exe, railcontrol.sqlite, test, and tools. The command '\$./railcontrol' is highlighted in yellow.

```
Dieter Demessieur@Fruehling ~/railcontrol
$ ./railcontrol
2021-08-09 18:05:20.882166: Info: Main: Starting RailControl
2021-08-09 18:05:20.882910: Info: Main: Version: 20
2021-08-09 18:05:20.883358: Info: Main: Compile date: 2021-08-09 19:28:30
2021-08-09 18:05:20.883385: Info: Main: Last GIT commit hash: a6a9151d861da4680e
05dc7fe251a0dc34976a8e
2021-08-09 18:05:20.883399: Info: Main: Last GIT commit date: 2021-07-22 15:21:5
1
2021-08-09 18:05:20.883581: Info: Main: Copying from railcontrol.conf.dist to ra
ilcontrol.conf
2021-08-09 18:05:20.884785: Info: Config: Reading config file railcontrol.conf
2021-08-09 18:05:20.885442: Info: Config: Parameter found in config file: dbfile
name = railcontrol.sqlite
2021-08-09 18:05:20.885468: Info: Config: Parameter found in config file: dbkeep
backups = 10
2021-08-09 18:05:20.885486: Info: Config: Parameter found in config file: webser
veraddress = any
2021-08-09 18:05:20.885505: Info: Config: Parameter found in config file: webser
verport = 8082
2021-08-09 18:05:20.885949: Info: SQLite: Opening SQLite database with filename
railcontrol.sqlite
2021-08-09 18:05:20.901853: Info: SQLite: relations is up to date
```

